

FEATURES

- Zero voltage turn-on, zero current turn-off (minize EMI/FRI)
- Input LED indicator
- Output snubber circuit protection
- TTL and CMOS compatible
- High dv/dt and high blocking voltage



UL FILE NO.: E126157
CUL FILE NO.: E126157

ORDERING INFORMATION

RSR 1 N D — A 240 25 —
 1 2 3 3-1 4 5 6 7

- | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>1. Series Name</p> <p>2. Type Name</p> <p>3. N : With LED Indicate
Nil : Without LED Indicate</p> <p>3-1D : DC In Put Control
A : AC In Put Control</p> <p>4. Out Put Nominal Voltage Type :
A : AC ; D : DC</p> | <p>5. Out Put Nominal Voltage :
120 : 120V ; 240 : 240V ; 480 : 480V</p> <p>6. Load Current :
10 : 10 Amps.
25 : 25 Amps.
40 : 40 Amps.</p> <p>7. Nil : Zero-on, Normal Open
R : Random-on, Normal Open</p> |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

DIMENSIONS(mm)

